New Brunswick Nunavut	Nova Scotia Yukon	Prince Edward Is Northwest Territo	land No ries	ewfoundland and Labrador
Manufacturers Name	· Fox Thermal Instruments			
Manufacturers Addre		Marina CA 93933 USA		
Plant Locations: same a				AND
Category o	f Fittings to be regist	ered. Circle one Catego s, plugs, unions, pipe caps, o	ry only	Title of the Standard of
B Flanges: all flanges	outhings, roes, sidows, 13	s, piugs, unions, pipe caps, o	reducers	Construction
C Valves: all line valves D Expansion joints, flexible				
E Strainers, filters, separar	lors, and steam trans	•		
F Measuring devices, inclu	iding pressure gauges, le	vel gauges, sight glasses, lev	els, or pressure	ASME B31.3
transmitters G Certified capacity-rated p	ressure relief devices acc	ceptable as primary over pres	sure protection on	
boilers, pressure vessels	, piping and fusible plugs		•	
1		o one of the above categories		
N Nuclear components: C	Class 1 Class 2 Cla	ass 3 🗆 , (Meeting CNSC or	ASME requirements)	
		ogo as it will appear on	the product	Type of Construction Forged Welded Wrought D
ONICON				Cast D Other D
FOX THE	RMAL INSTRUM	IENTS INC.		Describe other:
List of supporting docu	mentation and identi	ification of the actual ite	ms to be registere	<u>d:</u>
Flowbody Fittings				
1 lowbody i idango				
Drawing Numbers	SK1838 SK184	1, SK1842, SK184	2 61/1944	
Diaming Hamboro.	01(1000, 01(107	1, 01(1042, 01(104)), OK1044	
				·
		W. 12-3-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1		
Declaration:				
Deciaration; Pat Schryvar	(See note 3)	etained py Fox Thermal	instruments	d being the war and had a great
and responsibility for the or	uality of the end produc	ct do solemniv declare the	it the information co	d being the person having full authority intained in this form is true to the best of
my knowledde rebresenis i	ine broduct for which re	edistration is sought. The	dimensions materi	ISIR Of concinuation measure to
raunos, ano idenuication n	nankinos are in accorda	ance with the becein name	detandarde i hirth	or deciare that the manufacture of
varified by Peny Johnson Registrare	ino as l	being suitable for that pun	oose and I make thi	n occurs in whole or in part and has been a solemn declaration conscientiously
believing it to be true, and I	knowing that It is of the	same force and effect as	if made under oath	i.
Signature of Declarer: X	9 Clare			
Declared before me at Edr	nonton in the Province	e of Alberta		
	AD AD	2019	Use this sp Bei	pace for the Official Seal madette Carla Hansen
Commissioner of Oaths	Ž11			A Commissioner for Oaths
Or Notary Public: (sign) 🚅	Khonser	7	15.0	in and for Alberta
•	(Affix Official seal to the I	right)	My Contr	mission expires December 18, 2021 Appointee No. 0754521
		This space for Regulatory A		
ADD010/ 0		be revalidated after ten (10)	ears from the date of	acceptance.
CRN: 0F20194.2	au-		ACC	EPTED
FID#: 14921	:	Pi	ROVINCE OF PRIN	ICE EDWARD ISLAND
Notes: FTE FTYA, F	THY E. SHOOLE-	5500 C	OMMUNITIES, LA	ND & ENVIRONMENT
1. All Fittings shall be registere	74X,F-5400,F- d in the name of the Manufac	cturer.	nn OF	26194.29
	corted with two Statutory Dec	claration forms	R.N. 0 F	
and one copy of supporting o			ATE:	c 13 8014
The Declaration shall be made responsibility for the quality of	de by the person having full a of the end product."	BUNDARY AND	<i>N</i>	, MCCI
4. Quality Control programs sh	all be resubmitted for validati	ion.	Tylenk Carpy or	CHUICE SECTION
44/2040			INSPECTION SI ROTER / PRESENT	RE VESSEL BRANCH Fittings Rev.2
11/2016	110 maga N.1			, , DAM PART TOLL
"RN EXPIRES NO	AUDI YOUT - DY	_		

New	Brunswick
Nuna	wut

Nova Scotia Yukon Prince Edward Island Northwest Territories

Manufacturers Name: Fox Thermal Instruments		
Manufacturers Address: 399 Reservation Road, Marina CA 93933 USA		
Plant Locations: same as above		
Category of Fiftings to be projetered. Class.	Category only	
A Pipe fittings, including couplings, tees, elbows, Ys, plugs, unions, pipe B Flanges: all flanges	Caps, or reducers	Title of the Standard of
C Valves: all line valves	• • • • • • • • • • • • • • • • • • • •	Construction
D Expansion joints, flexible connections, and hose perceptions all hose		
I C. CHOURIX, IMPIX REPRESIONS AND PROSESSIONS		
F Measuring devices, including pressure gauges, level gauges, sight glas transmitters	ises, levels, or pressure	ASME B31.3
G Certified capacity-rated pressure relief devices accordable no administration	VOI ACOUNTY DESIGNATION	MOINE BS 1.5
H Pressure retaining components that do not fall into one of the above ca	legories	
N Nuclear components: Class 1 □ Class 2 □ Class 3 □ , (Meeting Cl	VSC or ASME requirements)	
Show Manufacturers Name, Trademark, or Logo as it will app	ear on the product	Type of Construction
ONICON INC. or		Forged D Welded & Wrought -
FOX THERMAL INSTRUMENTS INC.		Cast D Other D
TOX TILLIAMAL MOTROWENTS INC.		Describe other:
11-0-0-5		
List of supporting documentation and identification of the act	ual items to be registered	
Flowbody Fittings		
Drawing Numbers: SK1838, SK1841, SK1842, Sk	1942 CV4044	
5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5	11043, SK 1844	
Declaration: retained For The		
and responsibility for the quality of the and	ermal instruments and t	peing the person having full authority
my knowledge represents the anglest the white and the	mier mie wwentigenet Mill	diried in this form is true to the best of
rating and identification markings are in account.	a =c.ipio(ig, i(ib/6))@E	O CONSTRUCTION PROCESS to The Company of the Construction of the C
fillings is moulated by a Quality Control Description	THE PROPERTY OF THE PROPERTY O	deciate that the manufacture of these
verified by Peny Johnson Registrary, Inc. as being suitable for the believing it to be true, and knowing that it is of the same force and effective to be true.	at purpose and I make this s	colors in whole or in part and has been
believing it to be true, and knowing that it is of the same force and eff	ect as if made under oath.	Total action conscientiously
Signature of Declarer: X		
Declared before me at Edmonton in the Province of Alberta		
This 30 day of October AD 2019		
	Use this space	e for the Official Seal adette Caria Hansen
Commissioner of Oaths		Commissioner for Caths
Or Notary Public: (sign)	71	in and for Alberta
(Affix Official seal to the right)	My Commis	Sion expires December 18, 2021
This space for Regulal		ppointse No. 0754521
This registration must be revalidated after ten	(10) years from the date of ac-	Caniana
CRN: <u>0F20194.2</u>	A PRESSUA	~prance.
rin# 1.4021	OTER & PRESSURE	
FID#: 14921	MOVE SCOTIA	139
Notas: FT1, FT4A, FT4X, F-5400, F-5500	Date Dec. 13/19	(F)
 All i-mings shall be registered in the name of the Manufacturer. 	C.R.N. OF 20194.	30
2. Each Category shall be supported with two Statutory Declaration forms		
and one copy of supporting documentation. 3. The Declaration shall be made by the person beginn full cuttorion.	Signed 7	
 The Declaration shall be made by the person having full authority and responsibility for the quality of the end product. 	Signed Juone Per	벨
4. Quality Control programs shall be resubmitted for validation.	$\left(\begin{array}{c} 1 \alpha 1 \end{array}\right)$	Ň l
· · · · · · · · · · · · · · · · · · ·	Part Per REGULATION	5
11/2016	& REGIN ATIO	Sect 1.0 - Fittings Rev.2
CRU EXPIRES NOV.18, 2029 - D.G.	~~~~	

New Brunswick Nunavut	Nova Scotia Yukon	Prince Edward Island Northwest Territories	Newfoundland and Labrador
Manufacturers Nam	P' Fox Thermal Instruments	The state of the s	A Marine of State of
	ess; 399 Reservation Road, I	Marina CA 93933 LISA	and a second
Plant Locations; same	as above	The state of the s	
Category A Pipe fittings, including B Flanges: all flanges C Valves: all line valves	of Fittings to be regist couplings, tees, elbows, Ye	ered. Circle one Category only s. plugs, unions, pipe caps, or reducers	Title of the Standard of Construction
D Expansion joints, flexib E Strainers, filters, separa	le connections, and hose a ators, and steam traps		*
G Certified capacity-rated		vel gauges, sight glasses, levels, or pressure ceptable as primary over pressure protection on	ASME B31.3
H Pressure retaining com	ponents that do not fall into	one of the above categories	
N Nuclear components:	Class 1 Class 2 Cla	ass 3 . (Meeting CNSC or ASME requirements)	
Show Manufacturers	Vame, Trademark, or L	ogo as it will appear on the product	The same and the s
ONICON			Type of Construction Forged Welded Wrought
	RMAL INSTRUM	ENTO INC	Cast D Other D Describe other:
, ox me	1401170141	ENTS INC.	Describe other.
List of our nation dea			
1	umentation and identi	fication of the actual items to be registere	ed:
Flowbody Fittings			
Drawing Numbers:	SK1838, SK184	1, SK1842, SK1843, SK1844	
_	,	7, 2000 12, 3000 10, 3101044	
Declaration: Pat Schryver	(nn= ==== 2) pm	etained ployed by Fox Thermal Instruments an	d being the possess by the same
and responsibility for the q	Hality of the and produc	de de enterestado de la compansión de enterestado d	d being the person having full authority ontained in this form is true to the hest of
ratings and identification in	narkings are in accords	population is sought. The unitensions, mater	ials of construction, pressure temperature
fittings is regulated by a Qu	uality Control Program v	which extends to each plant where fabrication	ner declare that the manufacture of these
verified by Peny Johnson Registraria believing it to be true, and	as b knowing that it is of the	eing suitable for that purpose and I make th same force and effect as if made under oath	is solemn declaration conscientiously
Signature of Declarer: X	I legion	marin.	
Declared before me at Edi	nonton in the Province	of Alberta	
This 30 day of C		0040	_
Commissioner of Oaths	AU _	Use this st	pace for the Official Seal madette Carla Hansen
	PN		A Commissioner for Oaths
Or Notary Public: (sign)	The result	1	in and for Alberta
general management and applying applying a company of the contract of the cont	(Affix Official seal to the ri	ght) My Com	mission expires December 18, 2021 Appointee No. 0754521
	This are in the	This space for Regulatory Authority use.	the second secon
CRN: 0F20194.2	inis registration must b	e revalidated after ten (10) years from the date of	acceptance.
ORN. 0120194.2			Newformdland
FID#: 14921	in .	数で	Labrador
Notes: FTL, FTHA, F	74X, F-5400, F-Ed in the Manufaci	5500	Service NL
			gistored <i>OF 20194, 20</i>
Each Category shall be supp and one copy of supporting to	corted with two Statutory Dedi	aration forms Dai	e 19/12/16
	de by the person having full at	uthority and Eng	gineering and inspection Solvices
responsibility for the quality of	f the end product.	Re	gistered by X.
	all be resubmitted for validatio	n.	UNDER THE AUTHORITY OF THE PUBLIC SAFE Sect 1 DAY Hittings Rev. 2
11/2016			E BOILLY PREDEUTE FISHING FOR
CRU EXPIRES NO	1.15,2029 - Die	r. C	OMPRESSED DAGREAG ARIORS

New Brunswick Nunavut Nova Scotia Yukon Prince Edward Island Northwest Territories

Manufacturers Name: Fox Thermal Instruments	
Manufacturers Address: 399 Reservation Road, Marina CA 93933 USA	
Plant Locations: same as above	
Category of Fittings to be registered. Circle one Category only A Pipe fittings, including couplings, tees, elbows, Ys, plugs, unions, pipe caps, or reducers B Flanges: all flanges C Valves: all line valves D Expansion joints, flexible connections, and hose assemblies: all types	<u>Title of the Standard of</u> <u>Construction</u>
 E Strainers, filters, separators, and steam traps F Measuring devices, including pressure gauges, level gauges, sight glasses, levels, or pressure transmitters G Certified capacity-rated pressure relief devices acceptable as primary over pressure protection boilers, pressure vessels, piping and fusible plugs H Pressure retaining components that do not fall into one of the above categories 	ACIVIL DO 1.5
N Nuclear components: Class 1 ☐ Class 2 ☐ Class 3 ☐ , (Meeting CNSC or ASME requirement	ents)
Show Manufacturers Name, Trademark, or Logo as it will appear on the product ONICON INC. or FOX THERMAL INSTRUMENTS INC.	Type of Construction Forged
List of supporting documentation and identification of the actual items to be regis	stered:
Drawing Numbers: SK1838, SK1841, SK1842, SK1843, SK1844	
the responsibility for the quality of the end product do solemnly declare that the information to the product for which registration is sought. The dimensions, nothings, and identification markings are in accordance with the herein named standards. It is regulated by a Quality Control Program which extends to each plant where fabrical field by Peny Johnson Registrars, Inc. as being suitable for that purpose and I male aclieving it to be true, and knowing that it is of the same force and effect as if made under a great the product of Declarer:	naterials of construction, pressure temperature I further declare that the manufacture of these cation occurs in whole or in part and has been ke this solemn declaration conscientionals.
clared before me at Edmonton in the Province of Alberta	
Notary Public: (sign) (Affix Official seal to the right) This space for Regulatory Authority use.	Bernadette Carla Hansen A Commissioner for Johns in ampidistress - Nouveau Commission etc. 15 Uton 5 W. 16 K Appointee No. 0754521 DEPT OF JUSTICE PUBLIC SAFET
This registration must be revalidated after ten (10) years from the RN: 0F20194.2	ate of accompnions & PRESSURE VESSEL ACT
All Fittings shall be registered in the name of the Manufacturer. Each Category shall be supported with two Statutory Declaration forms and one copy of supporting documentation. The Declaration shall be made by the person having full authority and responsibility for the quality of the end product. Quality Control programs shall be resubmitted for validation.	CHIEF BOILER INSPECTOR DATE 12/13/2019 Sect 1.0 - Fittings Rev.2
11/2016	BLRs PVs
RN EXPIRES NOV.18, 2029 - D.G.	Cocus Class
•	FITTINGS NUCLEAR COMPONE

Prince Edward Island

New Brunswick

Nova Scotia

Newfoundland and Labrador Nunavut Yukon **Northwest Territories** Manufacturers Name: Fox Thermal Instruments Manufacturers Address: 399 Reservation Road, Marina CA 93933 USA Plant Locations: same as above Category of Fittings to be registered. Circle one Category only Title of the Standard of A Pipe fittings, including couplings, tees, elbows, Ys, plugs, unions, pipe caps, or reducers Construction B Flanges: all flanges C Valves: all line valves D Expansion joints, flexible connections, and hose assemblies: all types E Strainers, filters, separators, and steam traps F Measuring devices, including pressure gauges, level gauges, sight glasses, levels, or pressure **ASME B31.3** G Certified capacity-rated pressure relief devices acceptable as primary over pressure protection on boilers, pressure vessels, piping and fusible plugs H Pressure retaining components that do not fall into one of the above categories N Nuclear components: Class 1 🗆 Class 2 🗅 Class 3 🗅 , (Meeting CNSC or ASME requirements) Show Manufacturers Name, Trademark, or Logo as it will appear on the product Type of Construction Forged Welded # Wrought D ONICON INC. or Cast 🛮 Other D FOX THERMAL INSTRUMENTS INC. Describe other: List of supporting documentation and identification of the actual items to be registered: Flowbody Fittings Drawing Numbers: SK1838, SK1841, SK1842, SK1843, SK1844 Declaration: retained (see note 3) employed by Fox Thermal Instruments | Pat Schryver and being the person having full authority and responsibility for the quality of the end product do solemnly declare that the information contained in this form is true to the best of my knowledge represents the product for which registration is sought. The dimensions, materials of construction, pressure temperature ratings, and identification markings are in accordance with the herein named standards. I further declare that the manufacture of these fittings is regulated by a Quality Control Program which extends to each plant where fabrication occurs in whole or in part and has been verified by Perry Johnson Registrars, Inc. as being suitable for that purpose and I make this solemn declaration conscientiously believing it to be true, and knowing that it is of the same force and effect as if made under oath. Signature of Declarer: X Declared before me at Edmonton in the Province of Alberta day of October This 30 AD 2019 Commissioner of Oaths A Commissioner for Oaths Or Notary Public: (sign) in and for Alberta My Commission expires December 18, 2021 (Affix Official seal to the right) Appointee No. 0754521 This space for Regulatory Authority use. This registration must be revalidated after ten (10) years from the date ecceptance. V CRN: OF20194.2 14921 FID#: FT4A, FT4X, F-5400, F-5500 Each Category shall be supported with two Statutory Declaration forms and one copy of supporting documentation. 0F20194.2Y The Declaration shall be made by the person having full authority and responsibility for the quality of the end product. DATE 12/13/2019 Quality Control programs shall be resubmitted for validation. Sect 1.0 - Fittings (RN EXPIRES NOV.18, 2029 - D.G.

Newfoundland and Labrador

Prince Edward Island

New Brunswick

Nunavut

Nova Scotia

Yukon

Nunavut	Yukon	Northwest Territories	Townoundarid and Labrador
Manufacturers N	Vame; Fox Thermal Instruments		
Manufacturers /	Address: 300 Reservation Road, Marine	CA BURGILINA	
Plant Locations:	same es aboye		
Categ	ory of Fittings to be registered	. Circle one Category only	744
W LING HINNING MICH	ung couplings, less, shows, Ys, pk;	gs, unions, pipe caps, or reducers	Title of the Standard of
B Flanges; all flange C Valves; all fine va	5	•	Construction
D Expansion joints.	flexible connections, and hose assen	chilop, all have	4
I C SUMMER, MIER, S	8DB(B)OC. And steam trace		
F Measuring devices	s, including pressure gauges, level ga	auges, sight glasses, levels, or pressure	ASME B31.3
			ASIVIE DOT.3
		ble as primary over pressure protection on	
H Pressure retaining	components that do not fall into one	of the above calegories	
•		_	
Show Manufacture	as Name Tendament and	, (Meeting CNSC or ASME requirements)	
		as it will appear on the product	Type of Construction
ONIC	ON INC. or		Forged o Welded & Wrought o
FOX T	HERMAL INSTRUMEN	TR INC	Cast o Other o Describe other:
	TO THE PERIOD IN CONTENT	io inc.	- and outer.
List of supporting	documentation and identificat	ion of the actual items to be registere	d:
Flowbody Fitting			
i lowbody i lum	ga .		
l			
Drawing Number	ers: SK1838, SK1841, S	K1842, SK1843, SK1844	
	•		
Declaration:	retaine	4	
Pal Schryver	4 4. at amoule	FOY Thormal Instruments	d hains the name has to the same
and responsibility for the	to minifer of the and and and a		d being the person having full authority intained in this form is true to the best of
my knowledge represe	nts the product for which registra	ation is sought. The dimensions, materi	ntained in this form is true to the best of als of construction, pressure temperature
fatings, and identificati	on markings are in accordance y	with the herein named standards. I furth	ats of construction, pressure temperature er declare that the manufacture of these
Verified by Pery Johnson Re			
believing it to be true a	and knowing that it is of the com-	suitable for that purpose and I make this force and effect as if made under oath	s solemn declaration conscientiously
		s rough and allect as it wade rivder oath	•
Signature of Declarer:	X / Slegen		
Declared before me at	Edmonton in the Province of A	lberta	
•			
This 30 day	October AD 2019	Use this sp	ace for the Official Seal nadette Carla Hansen
Commissioner of Oaths		1567	nadette Carla Hansen
Or Notary Public: (sign)	PHansen	•	A Commissioner for Oatha
Or Hotel y Louis. (algir)		15.0	In and for Alberta
**************************************	(Affix Official seal to the right)	My Contra	nission expires December 18, 2021
	This s	oace for Regulatory Authority use	Appointed No. 0754521
	This registration must be reve	ilidated after ten (10) years from the	sceptance
CRN: 0F20194	.2		
			16300
FID#: 14921			
Notes: FT4 CTHA.	F744, F-5400, F-5500 flered in the name of the Manufacturer.	Northwest Territori	
1. All Fittings shall be reck	lared in the name of the Manufacture	, leimon	62
	supported with two Statutory Declaration	REGISTE	
and one copy of support	ing documentation.	UNDER THE AU	
3. The Declaration shall be	made by the person having full authority	and THE BOILER AND	O PRICAGURE
responsibility for the qua	lity of the and product.	VESSEL	
4. Quality Control programs	shall be resubmitted for validation,	C.R.N. 0F20	
		\	
11/2016		SIGNED	Teut 10 - Fillings Rev.2
(RN EXPIRES N	104.18, 2029 - D.G.	DATE DEC.	7/7011/
	WILLIAM TO		

New	Brunswick
Muns	es et

Nova Scotia Yukon

Manufacturers Name: Fox Thermal Instruments

Prince Edward Island **Northwest Territories**

I U.IYUHA YUL

Manufacturers Address: 399 Reservation Road, Marina CA 93939 US	A	
Plant Locations; same as above		
Category of Fittings to be registered. Circle on A Pipe fittings, including couplings, tees, elbows, Ys, plugs, unions, pi	e Category only	Title of the Standard of
6 Flanges: all hanges	ipe caps, or reducers	Construction
C Valves: all line valves D Expansion joints, flexible connections, and hose assemblies: all type		
E Streiners, filters, separators, and steam trans		
F Measuring devices, including pressure gauges, level gauges, sight garansmitters	glasses, levels, or pressure	ASME B31.3
G Certified capacity-rated pressure relief devices acceptable as primare	V 0VEL DIRECTION OF	1.0.11.2 201.5
boilers, pressure vessels, piping and fusible plugs H Pressure retaining components that do not fall into one of the above	· ·	
	_	
N Nuclear components: Class 1 🗆 Class 2 🗀 Class 3 🗀 (Meeting Show Manufacturers Name, Trademark, or Logo as it will a	CNSC or ASME requirements)	
	ppear on the product	Forged O Welded Wrought on
ONICON INC. or		Cast D Other 6
FOX THERMAL INSTRUMENTS INC.		Describe other:
List of supporting documentation and identification of the a	actual items to be registered	:
Flowbody Fittings		
Drawing Numbers: SK1838, SK1841, SK1842,	SK1843 SK1844	
, , , , , , , , , , , , , , , , , , , ,	0111010,0111044	
eclaration: retained Pal Schyver (see oots 3) employed by FOX	Thomas I have a	
Pat Schryver (see note 3) employed by Fox	inermal instruments and	being the person having full authority
nd responsibility for the quality of the end product do solemnly de la knowledge represents the product for which registration is sour	eclare that the information con	tained in this form is true to the best
itings, and identification markings are in accordance with the box	rois somed standards, materia	is of construction, pressure temperat
		solemn declaration conscientiously
elieving it to be true, and knowing that it is of the same force and	effect as if made under oath.	The state of the s
gnature of Declarer: X		
clared before me at Edmonton in the Province of Alberta		
is 30 day of October AD 2019	Use this spa	ce for the Official Seal
mmissioner of Oaths		AAAMA COME DANSEN
Notary Public: (sign)	^	Commissioner for Oaths
(Affix Official seal to the right)	My Commi	in and for Alberta ssion expires December 18, 2021
		Appointee No. 0754521
This space for Reg This registration must be revalidated after	IUIAIOIV AUINONIV use.	
RN:0F20194.2	Ton (10) years mon the date of all	ecopiance.
ID#: 14921		NUNAVUT
	18,00	
All Fittings shall be registered in the name of the Manufacturer.	1 40000	Boilers and
Each Category shall be supported with two Statutory Declaration forms	Nunavut	Pressure Vessels Act
and one copy of supporting documentation.	r	REGISTERED
The Declaration shall be made by the person having full authority and responsibility for the quality of the end product.		
Quality Control programs shall be resubmitted for validation.	CRN DE	20194.2N
	Date De	Sect Voc Ethings Hov. 2
11/2016		7
RU EXPIRES NOV. 18, 2029 - D.G.	Signed	- fillifery -
		Cheranspactor
	1 Territor	rial Registration Fee